# THE ARITHMETIC OF EQUATIONS

# **Section Review**

#### **Objectives**

- Calculate the amount of reactants required or product formed in a nonchemical process
- Interpret balanced chemical equations in terms of interacting moles, representative particles, masses, and gas volume at STP

## **Vocabulary**

• stoichiometry

## **Part A Completion**

Use this completion exercise to check your understanding of the concepts and terms that are introduced in this section. Each blank can be completed with a term, short phrase, or number.

The coefficients of a balanced chemical equation indicate	1
the relative number of1 of reactants and products. All	2
stoichiometric calculations begin with a <u>2</u> . Only <u>3</u>	3
and4 are conserved in every reaction; moles, volumes,	4
and representative particles may not be.	5
In solving stoichiometric problems, conversion factors	6
relating moles of reactants to5 of products are used.	
If you assume6, the balanced equation also tells you	
about the volumes of gases.	
Part B True-False	
Classify each of these statements as always true, AT; sometimes true, S	ST; or never true, NT.
<b>7.</b> The coefficients in a balanced chemical equation can mole ratios relating reactants to products.	be used to form
<b>8.</b> The coefficients in a balanced chemical equation tell t volumes of reactants and products, expressed in any s volume.	

9. To calculate the mass of a molecule in grams, you can use the molar

mass and Avogadro's number.

- \_\_\_\_\_\_10. Because the mass of the reactants equals the mass of the products of a reaction, the number of moles will be conserved.
- **11.** If the ratio of molecules in the reaction  $2A_2 + B_2 \rightarrow 2A_2B$  is 2:1:2, we can predict that 4 molecules of  $A_2$  react with 2 molecules  $B_2$  to produce 4 molecules of  $A_2B$ .
  - 12. One mole of any gas occupies a volume of 22.4 L.

## Part C Matching

Match each description in Column B to the correct term in Column A.

Column A	Column B
13. stoichiometry a.	Avogadro's number
14. product b.	the calculations of quantities in chemical reactions
15. coefficient c.	STP
16. $6.02 \times 10^{23}$ d.	a substance formed in a chemical reaction
<b>17.</b> 0°C, 101.3 kPa <b>e.</b>	gives the relative number of molecules involved in a reaction

#### **Part D Questions and Problems**

Answer the following in the space provided. Show your work.

**18.** Interpret the following equation using moles, molecules, and volumes (assume STP). Compare the mass of the reactants to the mass of the product.

$$2N_2(g) + 3O_2(g) \rightarrow 2N_2O_3(g)$$

**19.** How many moles of chlorine gas will be required to react with sufficient iron to produce 14 moles of iron(III) chloride?

$$2\text{Fe}(s) + 3\text{Cl}_2(g) \rightarrow 2\text{FeCl}_3(g)$$